

| Section 1: Identification | | | |
|---------------------------|--|--|--|
| PRODUCT INDENTIFIER: | NANOMETER Acidic Alumina | | |
| CHEMICAL FAMILY: | Abrasive | | |
| EMERGENCY PHONE: | CHEMTREC 800-424-9300 (US) Day or night | | |
| | Customer No. 16568 | | |
| MANUFACTURER: | PACE Technologies 3601 E. 34 th St., Tucson, AZ 85718 Tucson, Arizona USA Phone: 520-882-6598 FAX: 520-882-6598 | | |
| HMIS RATING: HEALTH: | 0 FLAMMABILITY: 0 REACTIVITY: 0 | | |
| HAZARD RATING: | | | |
| LEAST: 0 SLIGHT: 1 | MODERATE: 2 HIGH: 3 EXTREME: 4 | | |

Section 2: Hazard(s) Identification

| GHS CLASIFICATION: | Not a hazardous substance or mixture |
|------------------------------|---|
| PICTOGRAM(s): | N/A |
| SIGNAL WORD: | N/A |
| HAZARD STATEMENTS: | N/A |
| PRECAUTIONARY STATEMENTS: | P261-Avoid breathing dust/fume/gas/mist/vapors/spray. P264-Wash hands thoroughly after handling. P337-P313-IF eye irritation persists: Get medical advice/attention. P501- Dispose of contents/container to Federal, State and Local Regulations |

EYE CONTACT:

May cause irritation.

SKIN CONTACT:

Repeated or prolonged skin contact may cause irritation.



| INHALATION: | Vapor and mist may irritate nose and throat. Prolonged inhalation may cause dizziness. |
|---|--|
| INGESTION: | May cause gastrointestinal irritation. Nausea and vomiting may occur. |
| PRIMARY ROUTE(S) OF ENTRY: | Inhalation at high temperatures, eye contact, skin contact. |
| TARGET ORGANS: | Respiratory passages at high temperatures, eyes, skin. |
| MEDICAL CONDITIONS AGGRAVATED BY LONG-TERM EXPOSURE: | Individuals with pre-existing skin disorders or eye problems or impaired liver or kidney function may be more susceptible to the effects of chemical. |
| CARCINOGENICITY: | IARC, NTP, and OSHA do not list this product or its ingredients as carcinogens. |

Section 3: Composition/Information on Ingredients

| CHEMICAL NAME | APPROX % | COMMON NAME | REG* (Y/N) | CAS # | P.E.L. (mg/m ³) | TLV (mg/m ³) | CARCIN. (Y/N) |
|--------------------------------|-------------|----------------|---------------|-----------|--------------------------------|-----------------------------|------------------|
| Al ₂ O ₃ | 10-30 min | Alumina | Y | 1344-28-1 | 10 | 10 | Ν |
| SiO ₂ | 0.6-1.0 | Silicate Glass | Y | 7631.86-9 | 6 | 10 | Ν |
| Water | 70-90 | Water | N | 7732-16-5 | None | None | Ν |

** Subject to EPA section 313 reporting SARA 40 CFR part 372

NE = None Established

Product formulation is Proprietary

No ingredients are known to be hazardous under normal usage.



Section 4: First-Aid Measures

| EYE CONTACT: | Flush thoroughly with water for at least 15 minutes. Get immediate medical attention. |
|---------------|--|
| SKIN CONTACT: | Remove contaminated clothing and shoes. Wash exposed area with soap and water. Get medical attention if symptoms persist. |
| INHALATION: | No known harmful effects. If symptoms develop, remove affected person from source of exposure into fresh air. Get medical attention. |
| INGESTION: | Get immediate medical attention. Do not induce vomiting unless instructed to do so by a physician. Give large quantities of water or milk. |

Section 5: Fire-Fighting Measures

| FLASH POINT: | N/A |
|---------------------------------------|--|
| FLASH POINT METHODS: | N/A |
| LOWER FLAMMABLE LIMIT (LFL): | N/A |
| UPPER FLAMMABLE LIMIT (UFL): | N/A |
| EXTINGUISHING MEDIA: | CO2, Foam, Dry Chemical, Water Spray |
| UNUSUAL FIRE OR EXPLOSION HAZARDS: | None |
| HAZARDOUS COMBUSTION PRODUCTS: | Specific to type of material involved in fire. |



| FIRE-FIGHTING INSTRUCTIONS: | Wear a NIOSH approved positive pressure self- contained breathing apparatus with full protective clothing. Do not release runoff from fire control methods to sewers or waterways. |
|-----------------------------|---|
| FIRE-FIGHTING EQUIPMENT: | Fire may produce toxic thermal decomposition products. Wear a self-contained breathing apparatus (SCBA) with a full face-piece operated in pressure- demand or positive-pressure mode. |

Section 6: Accidental Release Measures

| SMALL SPILLS: | Isolate area and deny entry. Ventilate area of leak or spill. Small spill can be picked up with vermiculite or other absorbent, noncombustible material. Properly protected personnel should flush spill with plenty of water, taking care not to splash personnel. |
|----------------------------|--|
| LARGE SPILLS: | Notify appropriate personnel and implement facility emergency response plan. Evacuate nonessential personnel, and isolate area. Cleanup personnel should w3ear fully protective equipment for skin and eye contact. |
| CONTAINMENT: | For large spills, dike far ahead of liquid spill for later disposal. Do not release directly into sewers or waterways. Wash walking surfaces thoroughly to reduce slipping hazard. |
| CLEANUP: | Absorb spilled liquid with non-reactive absorbent material. Place clean-up material in appropriate disposal containers and dispose of according to local, state and federal requirements. |
| REGULATORY REQUIREMENT: | Any release to the environment of this product may be subject to federal, state, and/or local reporting requirements. Check with appropriate agencies. |

Section 7: Handling and Storage

HANDLINGExercise ordinary care in handling industrial lubricants. Avoid contaminationPRECAUTIONS:of cigarettes or other tobacco products. Wash hands thoroughly before eating

Page 5



Safety Data Sheet NANOMETER ACIDIC ALUMINA

or smoking. Remove contaminated clothing and wash before reuse.Users should be alert to the possibility that very small percentages of the
population may display unexpected allergic reactions to otherwise innocuous
industrial lubricants or raw materials.STORAGE
REQUIRMENETS:Do not store in open or unlabeled containers. Store in well ventilated,
properly drained / contained site, away from heat, out of the sun, and away
from combustibles and reactive chemicals. Use only approved containers and
protect containers from damage and keep material from freezing.

Section 8: Exposure Controls/ Personal Protection

| EYE PROTECTION: | Avoid eye contact. Wear safety glasses or chemical goggles in accordance with OSHA 29 CFR 1910.133. |
|--|---|
| SKIN PROTECTION: | Avoid skin contact. Wear chemical protective gloves. Depending upon conditions of use, additional protection may be necessary such as a face shield, apron, etc. |
| VENTILATION: | Local ventilation is generally not necessary under normal conditions of use with adequate general ventilation. Ventilation and other forms of engineering controls are the preferred means for controlling chemical exposures. |
| RESPIRATORY PROTECTION: | Avoid breathing in mist. Respiratory protection is generally not necessary under normal conditions of use with adequate general ventilation. |
| SAFETY STATIONS: | Make emergency eyewash stations, safety / quick-drench showers, and washing facilities available in work area. |
| OTHER PRECAUTIONARY INFORMATION: | Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. |



Page 6

Section 9: Physical and Chemical Properties

| BOILING POINT: 100°C (of water) | MELTING POINT: 2000°C for powder | SPECIFIC GRAV.: about 1.2-1.5 |
|---------------------------------|--|---------------------------------|
| VAPOR PRESSURE: Water | VOLATILE BY VOL.: 75-85% | VAPOR DENSITY: N/A |
| EVAPORATION RATE: Water | WATER SOLUBLE.: Soluble | ORGANIC SOLVENT SOL.: Insoluble |
| рН: 3-5 | APPEARANCE & ODOR: White cloudy liquid solution. | FLASH POINT.: N/A |

Section 10: Stability and Reactivity

| STABILITY: | Stable at room temperature in closed containers under normal storage and handling conditions. |
|--------------------------------------|--|
| POLYMERIZATION: | This product will not undergo hazardous polymerization. |
| CHEMICAL INCOMPATIBILITIES: | Strong oxidizing materials, hypochlorites, chlorine. |
| HAZARDOUS DECOMPOSITION PRODUCTS: | Steam, CO2, CO and unidentified organic compounds in fumes and smoke may be formed during combustion. |
| CONDITIONS TO BE AVOIDED: | Strong acids and bases. Heat source. |

Section 11: Toxicological Information

EYE EFFECT:

Avoid eye contact. Wear safety glasses or chemical goggles in accordance with OSHA 29 CFR 1910.133.



| SKIN EFFECT: | Practically non-irritating. |
|------------------------------|-----------------------------|
| REPRODUCTIVE: | Not reported. |
| INGESTION EFFECT: | Not reported. |
| ACUTE INHALATION EFFECTS: | Not reported. |
| ACUTE ORAL EFFECTS: | N/A |
| CHRONIC EFFECTS: | Not reported. |
| CARCINOGENICITY: | Not reported. |
| MUTAGENICITY: | Not reported. |
| TERATOGENICITY: | Not reported. |

Section 12: Ecological Information

| ECOTOXICITY:: | N/A |
|---------------------------------|----------------------------------|
| SOIL ABSORPTION / MOBILITY | Not available. |
| DEGRADABILITY: | Liquid portion is biodegradable. |
| ENVIRONMENTAL FATE AND EFFECTS: | Not available. |



Page 8

| CONDITIONS TO BE AVOIDED: | N/A |
|--------------------------------------|--|
| Section 13: Disposal Considerat | tions |
| DISPOSAL: | Contact a licensed waste-disposal contractor for detailed recommendations. Follow applicable Federal, State, and Local regulations. |
| CONTAINER DISPOSAL: | Rinse three times with an appropriate solvent or water. Dispose or recycle the empty container. |
| DISPOSAL REGUALTORY REQUIREMENTS: | Many states classify waste lubricants as "hazardous", which means disposal only by a licensed firm. Follow applicable Federal, state, and local regulations. |
| WASTE DISPOSAL METHOD: | Standard landfill methods consistent with applicable Federal, State, and local law |

Section 14: Transportation Information

| DOT (CFR49): | NOT REGULATED. |
|------------------------|----------------|
| IATA (air): | NOT REGULATED. |
| IMDG (ocean): | NOT REGULATED. |
| HAZARD CLASSIFICATION: | NON-HAZARDOUS. |
| PACKING GROUP: | NOT REGULATED. |
| UN/NA CODE: | NOT REGULATED. |



Section 15: Regulatory Information

TSCA: All components of this product are listed on the TSCA inventory.

EPA Regulations:

| SARA 311/312 Hazard Class (40 CFR 370) | |
|--|-----------------------|
| Immediate (Acute) Health Hazard: | No |
| Sudden Release of Pressure Hazard: | No |
| Reactive Hazard: | No |
| Delayed (Chronic) Health Hazard: | No |
| Fire Hazard: | No |
| SARA 313 Toxic Chemicals (40 CFR 372.65) | No ingredients listed |
| SARA Extremely Hazardous Substances (40 CFR 355) | No ingredients listed |
| CERCLA Hazardous Substances (40 CFR 302) | No ingredients listed |
| OSHA Regulations: | |

Air contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): No ingredients listed.

Section 16: Other Information

16.1 NFPA 704



Top, Flammability: 0 - Minimal Hazard

Left, Health Hazard: 1 – Slight Hazard

Right, Reactivity: 1 - Slight Hazard

Bottom, Special Notice: COR - Corrosive

Disclaimer:

PACE Technologies, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. PACE TECHNOLOGIES, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, PACE TECHNOLOGIES, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.

DATE REVISED: 6/01/2023 DZ