

Section 1: Identification

PRODUCT IDENTIFIER: EPOCOMP EPOXY COMPRESSION MOUNTING COMPOUND


CHEMICAL FAMILY: EPOXY MOLDING COMPOUND

EMERGENCY PHONE: CHEMTREC 800-424-9300 (US) Day or night

Customer No. 16568

MANUFACTURER: PACE Technologies
3601 E. 34th St., Tucson, AZ 85718
Tucson, Arizona USA
Phone: +1 520-882-6598
FAX: +1 520-882-6598

Section 2: Hazard(s) Identification

GHS CLASIFICATION:	Acute toxicity, oral (Category 4) Acute toxicity, inhalation (Category 4) Eye irritation (Category 2A)
PICTOGRAM(s):	
SIGNAL WORD:	Warning
HAZARD STATEMENTS:	Hazard Statement(s): Acute toxicity, oral (Category 4) Acute toxicity, inhalation (Category 4) Eye irritation (Category 2A)
PRECAUTIONARY STATEMENTS:	Precautionary Statement(s): Preventions: P261-Avoid breathing P264-Wash hands thoroughly after handling. P270- Do not eat, drink or smoke when using this product. P271-Use only outdoors or in a well-ventilated area. P280- Wear protective gloves/protective clothing/eye protection/face protection. Response: P301+312- IF SWALLOWED: call a POISON CENTER or doctor/physician IF you feel unwell. P330- Rinse mouth. P304+P340-IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing. P305+P351+P338- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

	<p>P312-Call a POISON CENTER or doctor/physician if you feel unwell. P337-P313-IF eye irritation persists: Get medical advice/attention.</p> <p>Storage: No information available</p> <p>Disposal: P501- Dispose of contents/container to Federal, State and Local Regulations.</p>
--	--

Section 3: Composition/Information on Ingredients

CHEMICAL NAME	CAS NO.	%	OSHA PEL	ACGIH TLV
Epoxy Resin	N.A.	10-40	N/E	N/E
Phenolic Resin	N.A.	<10	N/E	N/E
Fiberglass	65997-17-3	25-45	15 mg/m ³ Total	10 mg/m ³ Total
Mineral Fillers	Mixture	<10	1.5 mg/m ³ Total	10 mg/m ³ Total
Flame Retardants	Mixture	<5	0.5 mg/m ³ Total	0.5 mg/m ³ Total
Pigments	Mixture	<10	10 mg/m ³ Total	10 mg/m ³ Total
Catalysts	Mixture	<5	N/E	N/E

Section 4: First-Aid Measures

- INHALATION:** Remove victim to fresh air.
- EYE CONTACT:** Flush eyes with large amount of water for at least 15 minutes. See a physician if irritation persists.
- SKIN CONTACT:** Wash affected skin areas with soap and water. See a physician.
- INGESTION:** If swallowed, dilute with large amounts of water. DO NOT INDUCE VOMITING. Consult physician if unusual reaction is noted.

Section 5: Fire-Fighting Measures

FLASH POINT:	N.A.
FLAMMABLE LIMITS:	LEL: N.A. UEL: N.A.
METHOD USED:	N.A.
EXTINGUISHING MEDIA:	Dry Chemical, Water Spray (Fog), Foam, Carbon Dioxide
SPECIAL FIRE FIGHTING PROCEDURES:	Some component materials may thermally decompose or burn emitting toxic fumes and smoke including carbon dioxide and carbon monoxide. Fire fighters should wear full protective gear including eye protection and self-contained breathing apparatus (SCBA). Do not release runoff from fire control methods to sewers or waterways.
UNUSUAL FIRE AND EXPLOSION HAZARDS:	None.
AUTOIGNITION TEMPERATURE:	N.A.

Section 6: Accidental Release Measures

SPILLS / LEAKS:	Sweep or vacuum spills into appropriate containers for disposal.
PERSONAL PRECAUTIONS:	None.
ENVIRONMENTAL PRECAUTIONS:	None.

**REFULATORY
REQUIREMENTS:**

Follow applicable OSHA (29 CFR 1910.120), state or local regulations.

Section 7: Handling and Storage

HANDLING:

Avoid generating dust during handling.
Provide appropriate exhaust ventilation at places where dust can be generated.
Wear eye protection (goggles, safety glasses or safety mask).
Wash hands with soap and water.

STORAGE:

No special storage methods are required.

Section 8: Exposure Controls/ Personal Protection

Exposure Controls:

**VENTILATION AND
ENGINEERING CONTROLS:**

No special storage methods are required.

Personal Protection:

RESPIRATORS::

Wear NIOSH/MHSA approved disposable respirators designed for nuisance-type dusts.

EYE PROTECTION:

Wear appropriate face shield or safety glasses.

SKIN IRRITATION:

Wash with soap and water after handling.

Section 9: Physical and Chemical Properties

SPECIFIC GRAVITY: B 1.80	COLOR: Black
VAPOR PRESSURE: NEGLIGIBLE @20°C	EXPLOSIVE PROPERTIES: N.A.
SOLUBILITY IN WATER: INSOLUBLE	pH: N.A.
APPEARANCE: SOLID (GRANULES)	ODOR: N.A.
DECOMPOSITION TEMPERATURE: N/A	FLASH POINT: N/A

Section 10: Stability and Reactivity

STABILITY: Chemically Stable.

CORROSIVITY: Not Corrosive.

REACTIVITY WITH WATER: Not Reactive.

CONDITIONS TO AVOID: N.A.

HAZARDOUS POLYMERIZATION: Will Not Occur.

Section 11: Toxicological Information

EYE EFFECTS: Nuisance dust. May cause irritation through mechanical irritation.

SKIN EFFECTS: Nuisance dust. May cause irritation through mechanical irritation.

ACUTE TOXICOLOGY: No Data Available.

CHRONIC EFFECTS: No Data Available.

CARCINOGENICITY: This product is not considered as carcinogenic by OSHA, IARC, NTP or ACGIH.

Section 12: Ecological Information

No information available.

Section 13: Disposal Considerations

This product is not considered hazardous as defined by CERCLA/RCRA (40 CFR Part 261). It should be disposed of in compliance with federal, state and local regulations.

Section 14: Transportation Information

DOT (CFR49): NOT REGULATED.

IATA (air): NOT REGULATED.

IMDG (ocean): NOT REGULATED.

HAZARD CLASSIFICATION: NON-HAZARDOUS.

PACKING GROUP: NOT REGULATED.

UN/NA CODE: NOT REGULATED.

Section 15: Regulatory Information

OSHA HAZARD COMMUNICATION RULE, 29 CFR 1910.1200: This product is not classified a hazardous chemical.


TOXIC SUBSTANCE CONTROL ACT: This product is not subject to any legal reporting requirements under this act.

EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACTS: This product is not considered as hazardous or toxic under Federal SARA, Title III or California Prop 65 definitions.

CERCLA/SUPERFUND, 40 CFR 117, 302: This product contains no Reportable Quantity (RQ) substances.

Section 16: Other Information

16.1 NFPA 704



Top, Flammability: 0 – Minimal Hazard

Left, Health Hazard: 1 – Slight Hazard

Right, Reactivity: 0 – Minimal Hazard

Bottom, Special Notice: N/A

Additional Information

NA = NOT APPLICABLE

NE = NOT ESTABLISHED

Disclaimer:

PACE Technologies, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is

intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. PACE TECHNOLOGIES, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, PACE TECHNOLOGIES, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.

DATE PREPARED: 3/05/2015

DATE REVISED: 6/7/2018 AG
